



March 2017

PELLE CURTESOFT MAX

CHARACTERISTIC

Universal Fatliquoring Agent

| | |
|-----------------------------|--|
| Chemical Structure | : Sulphonated fatliquor based on natural oil |
| Appearance | : Light brown paste |
| Concentration (%) | : $46,0 \pm 2,0$ |
| pH (10 % in water) | : 7,0 - 8,0 |
| Ionic Structure | : Anionic |

PROPERTIES AND APPLICATION

PELLE CURTESOFT MAX provides excellent touch, fluffy and soft handle. It penetrates well to the leather fibers. Leather fatliquored with **PELLE CURTESOFT MAX** has a high degree of light fastness and durability to heat yellowing. It is the most suitable for the production of white leathers and provides excellent softness and lightness even when used at low rates.

| | |
|-----------------------|---------------|
| Upholstery leather | 12,0 – 15,0 % |
| Calf garment leather | 8,0 – 12,0 % |
| Nappa leather | 4,0 – 5,0 % |
| Glove leather | 10,0 – 12,0 % |
| Sheep garment leather | 8,0 – 10,0 % |
| Goat garment leather | 12,0 – 14,0 % |

STORAGE

In a cool and dry place in original packaging, can be stored for a period of one year. Product must be protected from excessive heat and cold.

PACKAGING

120 kg drums.

“TOUCH WITH PELLECURTEX”

Technical information and recommendations contained herein, is reliable, but conditions and methods of use of our products are beyond our control not imply any warranty. We recommend to use to our customer after identified our products and the suitability of proposals of use. Tips on the use of our products be interpreted in terms of encouraging infringement of patent rights of others.